


Freemail Header

You are here: WEB.DE > Services > Freemail

Nameofparent@web.de



Hello Christian Kunz

You have 66 unread e-mails

Unknown: 20 – Undesirable: 45

E-mails: 150

WEB.Cent: 450 load and manage


You were last logged in at 11.54 on 12.08.03

32 of 100 MB

Increase storage


Club news: .....

New: Designer e-mails now also with music




Write e-mail

SMS, fax, greeting cards, change Mypage




Inbox

New: Child protection, spam protection, folders, check e-mails




Telephone

Com.Win1.8 with optimized interface and extended contact synchronization




Organizer

Address book, groups, birthday list, calendar, alarm



Friends & Family

Share photos, videos, music with friends...



Extras

E-mail centre, security, settings, filters, notices

WEB.DE – Search – Services – Freemail – Help – Status

Handbook ↗ Customer services ↗

(c) WEB.DE 20003 – Jobs at WEB.DE



Advertise your homepage!

Fig. 1



Freemail Header		
You are here: WEB.DE > Freemail > Manage child protection		
<b>Manage child protection</b>		
<b>Activated child-protection accounts</b>		<a href="#">Help</a>
<b>xyz@web.de</b>		
<input type="checkbox"/> <u>undesirable (12/10)</u>	<input type="button" value="deactivate"/>	
<input type="checkbox"/> <u>unknown (10/8)</u>	<input type="button" value="load Webcents"/>	
<b>testuser12@web.de</b>		
<input type="checkbox"/> <u>undesirable (12/10)</u>	<input type="button" value="deactivate"/>	
<input type="checkbox"/> <u>unknown (10/8)</u>	<input type="button" value="load Webcents"/>	
<b>Set up new child protection</b>		<a href="#">Help</a>
<b>Username:</b>	<input type="text"/>	<input type="button" value="setup"/>
<b>Accounts not yet activated with child protection</b>		<a href="#">Help</a>
<b>Address</b>	<b>Activator Key</b>	
<input type="checkbox"/> <u>abc@web.de</u>	huxci0eze8rr	<a href="#">delete</a>
<input type="checkbox"/> <u>testuser2@web.de</u>	dhui9372323	<a href="#">delete</a>
<input type="checkbox"/> <u>another testuser@web.de</u>	hu2i3087122	<a href="#">delete</a>
<input type="checkbox"/> <u>number4@web.de</u>	jhu2i3023478	<a href="#">delete</a>
<input type="checkbox"/> <b>Select all</b>		
<input type="button" value="Delete"/>	<input type="button" value="Send activation e-mail again"/>	
WEB.DE – Search – Services – Freemail – Help – Status		<a href="#">Handbook</a> <a href="#">Customer services</a>
(c) WEB.DE 20003 – Jobs at WEB.DE		<a href="#">Advertise your homepage!</a>

Fig. 2

3/12

<b>Freemail Header</b>	
You are here: WEB.DE > Freemail > Set up child protection	
<b>Set up child protection</b>	
You wish to change the mail box <Name> into a child-protection mailbox. The owner of this mailbox will receive a notification by e-mail shortly. The following steps must then be carried out in order to complete the activation of the child protection:	
<b>Step 1:</b>	<a href="#">Help</a>
By clicking on the link found in the notification e-mail, the owner of the mailbox being changed will be directed to the activation site.	
<b>Step 2:</b>	<a href="#">Help</a>
The activator key, which only you have, must be entered on the activation site:  <b>Activator key: 72sdhbd</b>  The activator key will also be shown to you in the 'Manage child protection' page in the section named 'Accounts not yet activated with child protection.'	
<b>Step 3:</b>	<a href="#">Help</a>
After entering the activator key the process is complete and the new child protection mailbox is set-up. This will then be allocated to your mailbox.	
<div style="text-align: center;"><input type="button" value="continue"/></div>	
WEB.DE – Search – Services – Freemail – Help – Status	
Handbook  Customer Services 	
(c) WEB.DE 2003 – Jobs at WEB.DE	
Advertise your homepage!	

**Fig. 3**

<b>Freemail Header</b>
You are here: WEB.DE > Freemail > Set up child protection
<b>Set up child protection</b>
<p>Dear Freemail user,</p> <p>Unfortunately child protection cannot be set up for the mailbox &lt;Name&gt; because the owner is older than 17 years of age.</p> <p>If your child entered a false date of birth when registering the mailbox, this must be corrected before child protection can be set up.</p> <p>The date of birth can be changed under "Extras/Safety/User data" in the child's mailbox.</p> <p style="text-align: center;"><a href="#">▶ back</a></p>
WEB.DE – Search – Services – Freemail – Help – Status      Handbook  Customer services 
(c) WEB.DE 2003 – Jobs at WEB.DE      Advertise your homepage!

**Fig. 4**

Freemail Header																																			
You are here: WEB.DE > Freemail > Manage child protection > Folders				Nameofchild@web.de																															
<b>Unknown</b> – Messages 1-10 of 10 messages				Monday 11 <sup>th</sup> Aug. 2003																															
Inbox	<b>Unknown (10/8)</b>	Undesirable (2/1)	Patent pending																																
You are using child protection Freemail <a href="#">homepage</a>				<a href="#">Back to my</a>																															
<div style="display: flex; justify-content: space-between; align-items: center;"> <span>→</span> <div style="display: flex; gap: 10px;"> <input type="button" value="protect my child"/> <input type="button" value="show to my child"/> <input type="button" value="remove"/> </div> <div style="text-align: right;"> </div> </div>																																			
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">From</th> <th style="width: 35%;">Subject</th> <th style="width: 10%;"></th> <th style="width: 15%;">Child protection?</th> <th style="width: 10%;"></th> <th style="width: 15%;">Show to my child</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/> &lt;Ichbindersexspammer@span.hi&gt;</td> <td>Are you looking for a good time?...</td> <td></td> <td>Protect my child</td> <td></td> <td>Show to my child</td> </tr> <tr> <td><input type="checkbox"/> &lt;titten@span.hi&gt;</td> <td>Phone me!...</td> <td></td> <td>Protect my child</td> <td></td> <td>Show to my child</td> </tr> <tr> <td><input type="checkbox"/> &lt;gabir@erootik.com&gt;</td> <td>I want you...</td> <td></td> <td>Protect my child</td> <td></td> <td>Show to my child</td> </tr> <tr> <td><input type="checkbox"/> &lt;LustundLiebe@sexworld.de.vu&gt;</td> <td>Brass band music and more...</td> <td></td> <td>Protect my child</td> <td></td> <td>Show to my child</td> </tr> </tbody> </table>						From	Subject		Child protection?		Show to my child	<input type="checkbox"/> <Ichbindersexspammer@span.hi>	Are you looking for a good time?...		Protect my child		Show to my child	<input type="checkbox"/> <titten@span.hi>	Phone me!...		Protect my child		Show to my child	<input type="checkbox"/> <gabir@erootik.com>	I want you...		Protect my child		Show to my child	<input type="checkbox"/> <LustundLiebe@sexworld.de.vu>	Brass band music and more...		Protect my child		Show to my child
From	Subject		Child protection?		Show to my child																														
<input type="checkbox"/> <Ichbindersexspammer@span.hi>	Are you looking for a good time?...		Protect my child		Show to my child																														
<input type="checkbox"/> <titten@span.hi>	Phone me!...		Protect my child		Show to my child																														
<input type="checkbox"/> <gabir@erootik.com>	I want you...		Protect my child		Show to my child																														
<input type="checkbox"/> <LustundLiebe@sexworld.de.vu>	Brass band music and more...		Protect my child		Show to my child																														
<div style="display: flex; justify-content: space-between; align-items: center;"> <input type="checkbox"/> Select all             <div style="flex-grow: 1; text-align: center;">Message 1-4 of 10</div> <div style="display: flex; gap: 10px;"> <span>◀ Back</span> <span>Continue ▶</span> </div> </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 10px;"> <span>→</span> <div style="display: flex; gap: 10px;"> <input type="button" value="protect my child"/> <input type="button" value="show to my child"/> <input type="button" value="remove"/> </div> <div style="text-align: right;"> </div> </div>																																			
WEB.DE – Search – Services – Freemail – Help – Status				Handbook  Customer services																															
(c) WEB.DE 2003 – Jobs at WEB.DE				Advertise your homepage!																															

Fig. 5

6/12















Freemail Header	
You are here: <a href="#">WEB.DE</a> > <a href="#">Freemail</a> > <a href="#">Manage child protection</a> > <a href="#">Read e-mails</a> <span style="float: right;">Nameofchild@web.de</span>	
<b>Read e-mail</b>	Monday, 11 <sup>th</sup> Aug. 2003
Message 1 of 20 in <b>Unknown</b> folder <span style="float: right;"><a href="#">Back to inbox</a></span>	
<div>Remove</div>	
 <b>Protect my child</b>	 <b>Show to my child</b> <span style="float: right;">   </span>
<b>Subject:</b> Another test <b>From:</b> Me <b>To:</b> Me <b>Date:</b> 11.08.03 19:00:42 <span style="float: right;"><a href="#">Show full headers</a> – <a href="#">Show compact</a></span>	
<p>Bla bla bla</p> <p>This is an e-mail.</p> <p>Bla.</p> <div>Remove</div>	
<div style="text-align: right;">   </div>	
<a href="#">WEB.DE</a> – <a href="#">Search</a> – <a href="#">Services</a> – <a href="#">Freemail</a> – <a href="#">Help</a> – <a href="#">Status</a> <span style="float: right;"><a href="#">Handbook</a>  <a href="#">Customer services</a></span>	
<a href="#">(c) WEB.DE 2003</a> – <a href="#">Jobs at WEB.DE</a> <span style="float: right;"><a href="#">Advertise your homepage!</a> </span>	

Fig. 6

7/12

<b>Freemail Header</b>	
You are here: WEB.DE > Freemail > Deactivate child protection	
<b>Deactivate child protection</b>	
<p>Dear Freemail user,</p> <p>You have chosen to deactivate child-protection account &lt;Name&gt;. This will mean that the relevant mailbox will become a normal Freemail mailbox again with all functions accessible.</p> <p>All e-mail folders will be visible whereby all messages sent to this mailbox will be accessible again.</p> <p><b>Do you wish to continue?</b></p>	
<input type="button" value="cancel"/>	<input type="button" value="continue"/>
<hr/>	
WEB.DE – Search – Services – Freemail – Help – Status	
Handbook  Customer services 	
(c) WEB.DE 2003 – Jobs at WEB.DE	
Advertise your homepage!	

**Fig. 7**

8/12












Freemail Header	
You are here: WEB.DE > Services > Freemail	
Nameofchild@web.de	
 <b>Hello Christian Kunz</b> You have 66 unread e-mails E-mails: 150 WEB.Cent: 450 manage - load You were last logged in at 11.54 on 12.08.03	32 of 100 MB Increase storage
We will have to come up with something to put in this box. Perhaps ringtones or something else. It should suit specific target groups.	
<b>New: Designer e-mails now also with music</b>	
 <b>Write e-mails</b> SMS, fax, greeting cards, change Mypage	 <b>Inbox</b> Folders, Check e-mail
 <b>SMS</b> All SMS services at-a-glance	 <b>Organizer</b> Address book, groups, birthday list, calendar, alarm
 <b>Friends &amp; Family</b> Share photos, videos, music with friends...	 <b>Extras</b> E-mail center, security, settings, filters, notices
Here we would have an advert for the ringtone and logo portal	
WEB.DE – Search – Services – Freemail – Help – Status	
Handbook  Customer services 	
(c) WEB.DE 20003 – Jobs at WEB.DE	
Advertise your homepage!	

Fig 8



9/12

<b>Freemail Header</b>	
You are here: WEB.DE > Freemail > Activate child protection	
<b>Activate child protection</b>	
<p>Dear Freemail user,</p> <p>On this page you can change your Freemail account &lt;Name&gt; to a child-protection account. This account will be allocated to the parent account called &lt;Name&gt; and belonging to &lt;first and second name&gt;. In order to complete the change, please type in the activator key received by the owner of the parents' account.</p>	
<b>Activate child-protection account</b>	<a href="#">Help</a>
Activator key: <input type="text"/>	<input type="button" value="Activate"/>
<hr/>	
WEB.DE – Search – Services – Freemail – Help – Status	
Handbook  Customer services 	
(c) WEB.DE 2003 – Jobs at WEB.DE	
Advertise your homepage!	

**Fig. 9**

10/12







<b>Freemail Header</b>
You are here: WEB.DE > Freemail > Child protection has been activated
<b>Child protection has been activated</b>
<p>Dear Freemail user,</p> <p>Child protection for your mailbox has been activated. The process will be completed in around one hour. After this you will be able to access your mailbox again.</p> <p> <a href="#">back to WEB.DE homepage</a></p>
<div style="border: 1px solid black; padding: 20px; text-align: center;"><b>Advert</b></div>
<div>WEB.DE – Search – Services – Freemail – Help – Status</div> <div>Handbook  Customer services </div>
<div>(c) WEB.DE 2003 – Jobs at WEB.DE</div> <div>Advertise your homepage!</div>

Fig. 10

Freemail Header	
You are here: WEB.DE > Freemail >child protection deactivated	
<b>Child protection deactivated</b>	
<p>Dear Freemail user,</p> <p>The child protection on your mailbox was deactivated because you have reached your 18<sup>th</sup> birthday. You will now connect to a normal Freemail mailbox and can use all of the functions.</p> <p>In addition you have access to the "Unknown" and "Undesirable" folders.</p> <div> <a href="#">back to homepage</a></div>	
WEB.DE – Search – Services –Freemail – Help – Status	Handbook  Customer services 
(c) WEB.DE 2003 – Jobs at WEB.DE	Advertise your homepage!

**Fig. 11**

12/12




Fig. 12